

Micron





THROUGH-BODY PORCELAIN TILE

HIGH PERFORMANCE

GRES PORCELLANATO A TUTTA MASSA / GRÈS CÉRAME PLEINE MASSE / DURCHGEFÄRBTES FEINSTEINZEUG
GRES PORCELÁNICO A TODA MASA / ПОЛНОТЕЛЫЙ КЕРАМОГРАНИТ / 通体瓷质砖

CONFORME / ACCORDING TO / CONFORME / KONFORM / CONFORME / СООТВЕТСТВУЕТ / 合格
UNI EN 14411 - G Bla



High Performance



B

BG



W

G


				60X60-24"X24"		30X60-12"X24"		30X30-12"X12"
				MICRON 60B				MICRON 36B
								MICRON R36B
				MICRON 60BG				MICRON 30BG
								MICRON R36BG











	60X60-24"X24"		30X60-12"X24"		15X60-6"X24"		10X60-4"X24"
			MICRON 60W				MICRON 36W
							MICRON R36W
			MICRON 60G				MICRON 36G
							MICRON R36G
	30X30-12"X12"		30X30-12"X12"		15X15-6"X6"		10X10-4"X4"
			MICRON 30W				MICRON 15W
			MICRON 30G				MK.MICRON 4-F







DG

N



 	MICRON 60DG	MICRON 36DG	MICRON 156DG	MICRON 106DG
  	MICRON R36DG			
 	MICRON 60N	MICRON 36N	MICRON 156N	MICRON 106N
  	MICRON R36N			



 	MICRON 30DG	MK.MICRON DG-F	MICRON 15DG	MICRON 10DG
 	MICRON 30N	MK.MICRON N-F	MICRON 15N	MICRON 10N

PEZZI SPECIALI

SPECIAL PIECES / PIÈCES SPÉCIALES / SONDERPREISE / PIEZAS ESPECIALES / СПЕЦИАЛЬНЫЕ ЭЛЕМЕНТЫ / 特制件



B	MICRON B30B	MICRON B60B	MICRON S60B
BG	MICRON B30BG	MICRON B60BG	MICRON S60BG
W	MICRON B30W	MICRON B60W	MICRON S60W
G	MICRON B30G	MICRON B60G	MICRON S60G
DG	MICRON B30DG	MICRON B60DG	MICRON S60DG
N	MICRON B30N	MICRON B60N	MICRON S60N

IMBALLI

PACKAGING / EMBALLAGES / VERPACKUNGEN / EMBALAJES / УПАКОВКИ / 包装

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	BOX			PALLET		
			PZ/BOX PCS/BOX	MO/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MO/PALLET SM/PALLET	KG/PALLET KG/PALLET
60X60-24"X24"	RECTIFIED	9,2	3	1,08	22,82	40	43,20	932,67
30X60-12"X24"	RECTIFIED	9,2	6	1,08	22,45	48	51,84	1097,40
15X60-6"X24"	RECTIFIED	9,2	13	1,17	23,94	40	46,80	977,60
10X60-4"X24"	RECTIFIED	9,2	15	0,90	18,55	48	43,20	910,40
30X30-12"X12"	RECTIFIED	9,2	14	1,26	26,08	40	50,40	1063,33
15X15-6"X6"	RECTIFIED	9,2	24	0,54	11,12	96	51,84	1087,04
10X10-4"X4"	RECTIFIED	9,2	88	0,88	16,73	72	63,36	1224,46
30X30-12"X12" MOSAIC	RECTIFIED	9,2	4	0,36	6,92	72	25,92	518,29

CARATTERISTICHE TECNICHE SPECIFICHE

TECHNICAL FEATURES SPECIFICATIONS / CARACTÉRISTIQUES TECHNIQUES SPÉCIFIQUE / TECHNISCHE EIGENSCHAFTEN
CARACTERÍSTICAS TÉCNICAS ESPECÍFICAS / ТРЕБУЕМЫЕ ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ / 特殊技术规格

MICRON	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			G.A.	G.B.	C.A.	G.B.				
MICRON	R9	A	>0.4	>0.4	>0.4	>0.4	>36	>35	2	>0,42
MICRON R	R10	A	>0.4	>0.4	>0.4	>0.4	>36	>35	1	>0,42